

区分	気温			水温			過去10年間同旬平均水温		
	上旬	中旬	下旬	上旬	中旬	下旬	上旬	中旬	下旬
<b>日本海区</b>									
香深	-	-	-	5.9	7.6	5.1	4.3	4.1	2.8
脊形	-1.3	-3.5	-3.6	6.2	5.1	4.6	5.4	4.7	4.1
羽幌	-	-	-	4.4	-	-	3.6	3.1	2.2
苦前	-1.4	-3.2	-0.8	-	-	-	5.3	5.0	4.6
厚田	-3.7	-5.1	-2.0	5.5	4.3	4.6	2.7	3.0	2.4
祝津	-	-	-	-	-	-	5.9	5.1	4.9
小樽築港	2.7	0.2	3.8	6.9	5.7	6.2	4.6	4.4	4.0
余市	-1.9	-3.8	0.1	7.3	6.7	6.6	6.3	6.0	5.5
古平	-3.2	-3.0	-2.0	8.0	7.4	6.2	6.2	5.7	5.4
神恵内	-	-	-	-	-	-	7.1	6.6	6.0
泊	-0.5	-1.8	0.3	8.3	8.0	8.2	7.2	6.8	6.4
寿都	-	-	-	-	-	-	7.8	7.5	6.9
奥尻	-	-	-	-	-	-	8.5	7.9	7.5
奥尻(センター)	1.8	0.6	2.5	11.0	10.7	9.7	9.4	8.6	8.2
大成	-	-	0.6	-	-	9.5	8.4	8.0	7.7
瀬棚	0.0	-1.4	-	10.0	10.0	-	8.4	8.1	7.5
熊石	2.2	-	1.9	11.6	-	10.1	8.7	8.3	7.9
上ノ国	2.5	1.4	10.3	11.6	10.1	-	9.2	9.0	8.5
<b>津軽海峡区</b>									
福島	0.6	0.5	1.7	8.9	8.0	7.9	8.7	8.0	7.7
知内	0.9	-	1.5	10.3	-	8.6	8.9	8.5	8.1
戸井	3.5	2.0	3.3	10.0	8.0	7.9	7.9	7.3	6.1
恵山(山背泊)	0.6	-1.8	1.2	6.1	4.7	5.6	7.4	6.5	6.0
<b>太平洋海区</b>									
臼尻	1.9	0.9	3.0	5.0	4.7	5.0	6.8	5.9	4.6
豊浦	-	-	-	-	-	-	6.5	5.9	5.5
伊達(公社)	-1.3	-4.9	-0.5	5.6	5.1	4.7	5.8	5.4	4.7
室蘭	-	-2.7	2.2	4.9	3.8	3.8	5.1	4.8	3.5
春立漁港	-	-	-	4.0	3.9	3.5	3.1	2.4	1.4
浦河	-	-	-	4.3	4.1	3.6	4.4	3.4	2.5
えりも	4.9	3.8	2.1	2.7	2.5	1.7	2.7	2.0	1.2
えりも(栽培センター)	-	-	-	4.7	4.2	3.2	3.6	2.7	1.7
広尾	1.3	-0.9	3.0	2.9	1.8	1.9	2.5	1.7	1.0
白糠	-	-	-	-	-	-	1.0	0.0	-0.5
釧路	-	-	-	3.5	2.4	1.5	2.8	1.9	0.9
厚岸	-0.6	-3.3	-1.1	3.2	2.3	2.6	1.9	1.6	0.9
厚岸(センター)	-2.7	-5.4	-2.8	2.7	1.8	1.4	1.6	1.1	0.3
<b>根室海区</b>									
根室(温根元)	-0.3	-1.9	-0.1	2.1	0.7	0.8	0.8	0.4	-0.2
根室(平内町)	-1.9	-2.9	-1.5	0.7	0.4	0.1	-0.1	-0.5	-0.9
別海	-6.4	-4.7	-4.0	1.9	1.7	0.5	1.5	0.5	0.1
羅臼	-0.6	-0.4	0.5	4.2	3.0	1.4	2.4	1.5	0.5
<b>オホーツク海区</b>									
斜里	-	-	-	-	-	-	1.2	-1.1	-
サロマ湖	-	-	-	-	-	-	-0.7	-1.3	-1.5
紋別	-	-	-	-	-	-	0.4	-0.6	-0.9
枝幸	-	-	-	-	-	-	-	-	-
宗谷	-3.8	-5.4	-3.5	1.6	1.1	1.0	0.6	0.4	-0.2
稚内	-3.2	-4.1	-2.2	3.5	3.8	2.8	2.8	2.2	1.9
<b>平均水温</b>									
海区	上旬	中旬	下旬	上旬	中旬	下旬	上旬	中旬	下旬
日本海区	8.1	7.6	7.1	6.6	6.2	5.7	1.4	1.3	1.4
津軽海峡区	8.8	6.9	7.5	8.2	7.6	7.0	0.6	-0.7	0.5
太平洋海区	4.0	3.3	3.0	3.7	3.0	2.1	0.3	0.3	0.9
根室海区	2.2	1.5	0.7	1.2	0.5	-0.1	1.1	1.0	0.8
オホーツク海区	2.6	2.5	1.9	0.9	-0.1	-0.2	1.7	2.5	2.1

区分	気温			水温			過去10年間同旬平均水温		
	上旬	中旬	下旬	上旬	中旬	下旬	上旬	中旬	下旬
<b>日本海区</b>									
香深	-	-	-	2.7	5.7	3.8	2.4	2.7	2.6
脊形	-4.2	1.0	-4.8	3.6	4.3	3.3	3.6	3.5	3.4
羽幌	-	-	-	-	3.4	3.6	1.7	1.9	2.2
苦前	-3.5	2.3	-3.5	4.6	5.1	4.8	4.2	3.8	3.8
厚田	-4.9	0.4	-3.6	3.2	3.9	4.1	2.2	2.6	2.5
祝津	0.0	6.0	3.6	5.1	5.8	5.2	4.4	4.4	4.4
小樽築港	-0.3	5.2	0.6	5.1	5.1	4.3	3.5	3.5	3.5
余市	-3.4	2.6	-2.5	6.2	6.9	5.7	4.9	4.8	4.9
古平	-	1.0	-4.2	-	5.5	5.7	4.8	4.9	4.9
神恵内	-	-	-	-	-	-	5.5	5.1	5.7
泊	-3.1	2.2	-2.9	6.8	7.6	7.1	5.6	5.6	5.7
寿都	-	-	-	-	-	-	6.3	5.9	6.2
奥尻	-	-	-	-	-	-	6.9	6.7	6.6
奥尻(センター)	-0.8	4.3	-	8.7	8.3	-	7.5	7.4	6.9
大成	-2.6	3.2	-1.4	8.7	8.3	7.8	7.0	6.8	6.4
瀬棚	-2.5	2.8	-2.0	9.7	9.2	8.7	6.8	6.6	6.4
熊石	-	3.7	-0.1	-	9.1	8.8	7.1	7.0	6.4
上ノ国	9.7	9.5	9.2	-	-	-	7.6	7.5	7.2
<b>津軽海峡区</b>									
福島	1.1	5.6	2.1	7.6	8.1	7.8	7.0	6.7	6.5
知内	-	-	-1.3	-	-	8.2	7.4	7.1	7.1
戸井	0.6	7.7	2.4	7.4	8.1	6.7	4.9	4.5	4.6
恵山(山背泊)	-2.0	3.7	-1.9	4.9	6.2	4.6	4.6	4.1	3.4
<b>太平洋海区</b>									
臼尻	0.6	5.0	-0.2	4.6	4.9	3.4	3.2	3.2	3.0
豊浦	-	-	-	-	-	-	4.5	3.8	3.3
伊達(公社)	-4.2	1.4	-2.8	4.1	4.6	4.1	3.8	3.5	3.2
室蘭	-0.5	-	-	3.6	4.9	3.1	2.7	2.3	2.5
春立漁港	-	-	-	2.2	2.5	1.8	1.1	1.1	1.3
浦河	-	-	-	2.0	2.2	1.4	2.0	1.9	2.1
えりも	2.1	6.3	2.1	0.3	0.9	0.0	0.7	0.8	1.2
えりも(栽培センター)	-	-	-	1.9	2.3	1.5	1.1	1.1	1.3
広尾	-0.3	2.5	-2.3	1.1	1.7	1.9	0.2	0.4	0.6
白糠	-	-	-	-	-	-	-1.0	-0.9	-0.5
釧路	-	-	-	0.8	1.0	0.7	0.3	0.1	0.3
厚岸	-5.3	2.3	-4.2	1.4	2.6	0.7	0.4	0.7	1.0
厚岸(センター)	-7.5	-0.4	-5.7	0.4	1.9	1.3	-0.2	-0.2	-0.1
<b>根室海区</b>									
根室(温根元)	-3.5	1.5	-3.8	-0.5	0.2	-0.3	-0.8	-0.7	-0.7
根室(平内町)	-6.1	-0.9	-5.6	-0.7	-0.6	-0.5	-1.1	-1.0	-1.0
別海	-10.7	-0.7	-5.9	1.4	-0.2	0.0	-0.4	-0.4	-0.2
羅臼	-2.5	0.8	-1.5	-0.2	-0.4	-0.5	-0.2	-0.7	-0.8
<b>オホーツク海区</b>									
斜里	-	-	-	-	-	-	-	-	-
サロマ湖	-	-	-	-	-	-	-1.5	-1.5	-1.5
紋別	-	-	-	-	-	-	-1.5	-1.4	-1.5
枝幸	-	-	-	-	-	-	-	-	-
宗谷	-7.0	-0.9	-7.7	-0.5	2.1	1.2	-0.5	0.2	0.4
稚内	-5.4	0.0	-5.3	2.1	4.0	2.4	1.9	2.7	2.9
<b>平均水温</b>									
海区			上旬	中旬	下旬	上旬	中旬	下旬	上旬
日本海区	5.9	6.3	5.6	5.1	5.0	5.0	0.7	1.3	0.6
津軽海峡区	6.6	7.5	6.8	6.0	5.6	5.4	0.7	1.9	1.4
太平洋海区	2.0	2.7	1.8	1.4	1.4	1.5	0.6	1.3	0.3
根室海区	0.0	-0.3	-0.3	-0.6	-0.7	-0.7	0.6	0.5	0.4
オホーツク海区	0.8	3.1	1.8	-0.4	0.0	0.1	1.2	3.1	1.7
<b>過去10年間平均水温</b>									
海区			上旬	中旬	下旬	上旬	中旬	下旬	差
日本海区	5.9	6.3	5.6	5.1	5.0	5.0	0.7	1.3	0.6
津軽海峡区	6.6	7.5	6.8	6.0	5.6	5.4	0.7	1.9	1.4
太平洋海区	2.0	2.7	1.8	1.4	1.4	1.5	0.6	1.3	0.3
根室海区	0.0	-0.3	-0.3	-0.6	-0.7	-0.7	0.6	0.5	0.4
オホーツク海区	0.8	3.1	1.8	-0.4	0.0	0.1	1.2	3.1	1.7
<b>過去10年間平均水温</b>									
海区			上旬	中旬	下旬	上旬	中旬	下旬	差
日本海区	5.9	6.3	5.6	5.1	5.0	5.0	0.7	1.3	0.6
津軽海峡区	6.6	7.5	6.8	6.0	5.6	5.4	0.7	1.9	1.4
太平洋海区	2.0	2.7	1.8	1.4	1.4	1.5	0.6	1.3	0.3
根室海区	0.0	-0.3	-0.3	-0.6	-0.7	-0.7	0.6	0.5	0.4
オホーツク海区	0.8	3.1	1.8	-0.4	0.0	0.1	1.2	3.1	1.7

2024年3月の気温と水温

發行日

2024年7月12日

区分	気温			水温			過去10年間同旬平均水温		
	上旬	中旬	下旬	上旬	中旬	下旬	上旬	中旬	下旬
<b>日本海区</b>									
香深	-	-	-	4.8	5.6	5.0	2.9	3.8	4.6
脊形	-2.9	1.4	4.2	3.1	3.2	3.4	3.6	4.2	4.8
羽幌	-	-	-	2.9	3.8	4.8	2.6	3.9	5.1
苔前	-1.0	2.4	4.5	5.0	4.8	4.9	3.8	4.2	4.8
厚田	-2.8	1.0	3.3	3.1	4.5	5.0	3.2	4.1	5.2
祝津	2.9	6.9	9.6	4.4	4.6	5.3	4.9	5.5	6.5
小樽築港	1.0	3.4	5.8	4.8	4.5	5.2	4.1	5.1	6.3
余市	-1.4	2.7	4.4	5.8	5.3	5.4	5.3	5.7	6.6
古平	-3.1	-0.6	1.1	5.5	5.8	6.3	5.3	5.8	6.6
神恵内	-	-	-	-	-	-	5.9	6.4	6.7
泊	-1.8	2.2	4.3	6.3	6.2	6.2	5.9	6.6	7.2
寿都	-	-	-	-	-	-	6.5	6.8	6.8
奥尻	-	-	-	-	-	-	6.9	7.3	7.5
奥尻(センター)	-	-	-	-	-	-	7.4	7.9	7.9
大成	-0.9	2.4	4.0	5.9	6.2	6.9	6.9	7.3	7.4
瀬棚	-1.0	3.2	4.7	7.8	7.5	7.7	6.7	7.1	7.3
熊石	0.2	4.3	6.0	6.6	6.9	7.6	6.9	7.5	7.7
上ノ国	7.4	7.9	-	-	-	-	7.8	7.7	8.2
<b>津軽海峡区</b>									
福島	1.4	5.8	8.4	6.6	7.2	7.7	6.8	7.1	7.9
知内	-1.1	3.8	6.0	7.5	7.7	8.3	7.2	7.4	8.1
戸井	1.9	5.8	8.7	3.4	3.5	4.1	4.7	5.3	5.6
恵山(山背泊)	-2.3	1.6	1.7	2.2	1.8	2.8	3.3	3.6	4.2
<b>太平洋海区</b>									
臼尻	0.2	4.2	5.6	1.4	2.0	3.5	3.3	3.5	3.9
豊浦	-	-	-	-	-	-	3.1	3.7	4.7
伊達(公社)	-2.7	2.1	4.1	3.4	2.7	2.9	3.4	3.4	3.8
室蘭	-	-	-	2.0	2.4	-	2.8	3.2	4.1
春立漁港	-	-	-	1.5	2.1	2.4	1.5	1.8	3.0
浦河	-	-	-	1.0	1.5	2.1	2.2	2.2	2.7
えりも	4.1	5.2	7.7	-0.8	-0.1	0.4	1.3	1.7	2.4
えりも(栽培センター)	-	-	-	0.8	1.3	1.9	1.2	1.4	1.9
広尾	-0.9	3.9	4.8	1.0	2.4	3.3	1.0	1.9	2.9
白糠	-	-	-	-	-	-	-0.1	0.7	1.5
釧路	-	-	-	0.3	0.7	0.9	0.4	0.9	1.3
厚岸	-1.4	0.5	2.5	1.3	2.4	3.2	1.7	2.6	3.7
厚岸(センター)	-3.2	0.5	2.3	0.9	2.1	1.7	0.4	0.9	1.7
<b>根室海区</b>									
根室(温根元)	0.6	0.8	3.9	-0.6	-0.1	0.2	-0.3	0.4	1.0
根室(平内町)	-2.8	-1.5	1.3	-1.0	-0.6	-0.1	-0.3	0.8	1.7
別海	-	-	-	-	-	-	0.0	0.7	1.2
羅臼	1.8	1.7	4.6	-0.5	-0.7	-0.6	-0.8	-0.7	-0.5
<b>オホーツク海区</b>									
斜里	-	-	-	-	-	-	-	-	-
サロマ湖	-	-	-	-	-	-	-1.4	-1.0	0.0
紋別	-	-	-	-	-	-	-0.7	-0.1	0.8
枝幸	-	-	-	-	-	-	0.4	1.2	2.6
宗谷	-4.8	-0.6	1.8	1.0	2.4	3.9	1.0	2.7	4.0
稚内	-2.5	1.3	3.6	2.9	5.0	6.5	3.5	4.9	6.5

海区	平均水温			過去10年間平均水温			差		
	上旬	中旬	下旬	上旬	中旬	下旬	上旬	中旬	下旬
日本海区	5.1	5.3	5.7	5.4	5.9	6.5	-0.3	-0.6	-0.8
津軽海峡区	4.9	5.1	5.7	5.5	5.9	6.5	-0.6	-0.8	-0.7
太平洋海区	1.2	1.8	2.2	1.7	2.1	2.9	-0.5	-0.4	-0.7
根室海区	-0.7	-0.5	-0.2	-0.4	0.3	0.9	-0.4	-0.8	-1.0
オホーツク海区	2.0	3.7	5.2	0.6	1.5	2.8	1.4	2.2	2.4

発行日

2024年7月12日

区分	気温			水温			過去10年間同旬平均水温		
	上旬	中旬	下旬	上旬	中旬	下旬	上旬	中旬	下旬
<b>日本海区</b>									
香深	—	—	—	6.1	7.0	9.2	4.4	4.9	5.6
脊形	7.1	11.5	10.2	4.5	5.5	6.8	5.1	5.6	6.5
羽幌	—	—	—	5.7	6.9	7.4	5.8	6.7	7.8
苦前	8.0	12.9	11.0	5.8	6.9	6.6	5.3	6.4	7.3
厚田	7.3	12.3	12.3	5.6	7.3	8.6	5.8	6.6	7.7
祝津	13.7	18.0	17.5	7.0	9.7	10.0	6.7	7.6	8.8
小樽築港	9.6	13.5	12.2	6.9	9.3	9.8	6.7	7.7	9.2
余市	5.8	—	—	6.5	8.4	9.2	6.7	7.4	9.0
古平	6.3	8.0	9.2	7.4	9.6	10.1	6.9	7.5	8.7
神恵内	—	—	—	—	—	—	6.9	7.6	8.9
泊	7.1	12.2	11.6	7.0	8.7	10.6	7.2	8.0	9.0
寿都	—	—	—	—	—	—	7.1	8.0	8.9
奥尻	—	—	—	—	—	—	8.1	8.5	9.3
奥尻(センター)	—	—	—	—	—	—	8.2	8.7	9.4
大成	7.7	12.0	11.9	7.8	8.5	9.0	7.7	8.2	9.2
瀬棚	8.7	11.0	11.4	9.4	9.4	9.7	7.6	8.1	8.9
熊石	9.5	13.3	13.4	8.9	9.6	10.3	8.0	8.5	9.4
上ノ国	—	—	—	—	—	—	8.5	9.1	9.8
<b>津軽海峡区</b>									
福島	11.0	16.5	—	8.5	10.1	—	8.2	8.8	9.2
知内	9.3	11.3	12.4	9.1	10.4	10.9	8.3	8.8	9.3
戸井	10.9	13.7	12.4	5.9	7.3	7.7	5.5	6.3	6.8
恵山(山背泊)	7.1	13.8	13.5	4.8	6.4	7.0	4.4	5.2	5.9
<b>太平洋海区</b>									
臼尻	8.1	8.7	11.3	5.0	5.9	7.1	4.4	5.2	6.3
豊浦	—	—	—	—	—	—	4.5	4.9	6.6
伊達(公社)	—	—	—	—	—	—	4.0	4.5	5.7
室蘭	8.0	10.9	9.8	3.9	5.9	6.3	4.4	4.7	5.7
春立漁港	—	—	—	3.4	5.3	5.9	3.4	4.2	4.8
浦河	—	—	—	3.4	5.0	6.0	2.9	3.3	4.3
えりも	11.5	10.9	—	1.2	2.7	—	3.3	4.0	5.1
えりも(栽培センター)	—	—	—	2.6	4.4	5.4	2.0	2.5	3.4
広尾	6.5	6.8	8.7	6.1	8.7	8.8	4.1	5.1	6.2
白糠	—	—	—	—	—	—	2.1	2.7	4.4
釧路	—	—	—	1.9	3.0	3.7	1.9	2.5	3.4
厚岸	5.7	8.6	7.8	5.6	7.7	7.1	4.0	4.9	6.3
厚岸(センター)	—	—	—	—	—	—	2.5	3.0	4.0
<b>根室海区</b>									
根室(温根元)	7.2	10.2	9.2	1.8	3.2	4.3	1.5	2.4	3.5
根室(平内町)	4.3	7.0	8.2	2.5	4.7	6.0	2.8	3.8	5.6
別海	—	—	—	—	—	—	1.5	2.4	3.5
羅臼	6.9	9.7	11.1	-0.5	0.2	1.3	-0.3	0.2	1.0
<b>オホーツク海区</b>									
斜里	—	—	—	—	—	—	2.2	3.4	5.2
サロマ湖	—	—	—	—	—	—	0.6	2.7	4.6
紋別	—	—	—	—	—	—	2.1	4.8	5.5
枝幸	—	—	—	—	—	—	3.9	4.9	6.5
宗谷	6.0	8.1	6.9	5.8	7.3	7.5	4.8	5.8	7.2
稚内	7.4	9.7	8.9	8.5	9.5	9.6	6.5	7.7	9.3

海区	平均水温			過去10年間平均水温			差		
	上旬	中旬	下旬	上旬	中旬	下旬	上旬	中旬	下旬
日本海区	6.8	8.2	9.0	6.8	7.5	8.5	0.0	0.7	0.5
津軽海峡区	7.1	8.6	8.5	6.6	7.3	7.8	0.5	1.3	0.7
太平洋海区	3.7	5.4	6.3	3.3	4.0	5.1	0.3	1.4	1.2
根室海区	1.3	2.7	3.9	1.4	2.2	3.4	-0.1	0.5	0.5
オホーツク海区	7.2	8.4	8.6	3.4	4.9	6.4	3.8	3.5	2.2